

## WE 35N (T35185)



### DESCRIPTION

**WE 35N** is polyether foam with a homogeneous open cell structure.

**WE 35N** can be used in the furniture and upholstery market and bedding application market.

Can be used as mattresses, seat cushions, ....

### SPECIFICATIONS

Property	Unit	Method	Value
Net density	kg/m <sup>3</sup>	ISO 845	31-34
Ild 40%	N	ISO 2439/B	185 (±15%)

### TYPICAL VALUES

Property	Unit	Method	Value
Elongation at break	%	ISO 1798	200
Tensile Strength	kPa	ISO 1798	125
DSV: Height loss	%	ISO 3385	3
DSV: Hardness loss	%	ISO 3385	20

*Testing conditions are available for consultation*

### SPECIFIC INFORMATION

Production plant: Åndalsnes NO

Colour: Pink

Gross foaming width: 2050 (-0/+20mm)

Lead time: 1 week

Minimum quantity:

Gross height of standard blocks: 920 (-0/+20mm)











































